



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

EMERYVILLE, CAL.

Dead inspected	1
Premises inspected	37
Nuisances abated	2
Rats found dead	70
Rats trapped	156
Poisons placed	1, 736

Outgoing quarantine transactions.

Passed Assistant Surgeon Hobby reports January 9:

Week ended January 4: Vessels disinfected and certified, 37; ves-
sels certified to, 44.

*Report from Seattle, Wash.—Plague-prevention work—Municipal
inspection work turned over to the special sanitation department
of Seattle.*

Passed Assistant Surgeon Cofer reports January 11:

Week ended January 11.

Rats delivered and cremated	2, 086
Necropsies on rats	1, 932
Pounds of poison placed	35
Vessels fumigated	5

Number of rats proven infected with plague to date, 4; date of finding of last
rat proven infected with plague, December 30, 1907.

On January 6, 1908, the work of municipal inspection and polic-
ing, having been organized on a smooth working basis, was turned
over to the special sanitation department of Seattle.

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES AND CITIES
OF THE UNITED STATES—UNTABULATED.

CALIFORNIA—*Oakland.*—Month of December, 1907. Estimated
population, 225,000. Total number of deaths 150, including diph-
theria 4, enteric fever 4, and 14 from tuberculosis. Cases: Diph-
theria 23, enteric fever 10, scarlet fever 2, smallpox 26, measles 6,
and tuberculosis 4.

CONNECTICUT.—Month of December, 1907. Reports to the State
board of health from 166 towns having an aggregate population of
1,018,764 show as follows: Total number of deaths from all causes,
1,442, including diphtheria 24, enteric fever 10, measles 2, scarlet
fever 7, whooping cough 2, and 130 from phthisis pulmonalis.
Cases: Diphtheria, 226 in 43 towns; enteric fever, 80 in 28 towns;
measles, 315 in 27 towns; scarlet fever, 187 in 40 towns; whooping
cough, 34 in 9 towns; smallpox 1 (*New Britain*); phthisis pul-
monalis, 41 in 19 towns.

FLORIDA.—Reports to the State board of health for the week ended
January 11, 1908, show as follows: Diphtheria—*Jacksonville*, 2 cases;

St. Augustine, 1 case. Tuberculosis—*Jacksonville*, 1 case; *Safety Harbor*, 1 case; *Bradentown*, 1 case.

ILLINOIS—*Belleville*.—Eleven days ended January 11, 1908. Estimated population, 23,000. Total number of deaths, 12. Cases: Scarlet fever 2.

INDIANA.—Month of November, 1907. Estimated population, 2,648,594. Total number of deaths, 2,543, corresponding to an annual death rate of 11.5 per 1,000 of population, including 36 from diphtheria, 76 from enteric fever, 3 from measles, 7 from scarlet fever, 3 from whooping cough, and 292 from tuberculosis.

Morbidity: Diphtheria, 267 cases in 51 counties; enteric fever, 440 cases in 60 counties; smallpox, 101 cases in 13 counties.

MINNESOTA.—Month of November, 1907. Estimated population, 1,979,658. Reports to the State board of health show as follows: Total number of deaths, 1,399, including diphtheria 35, enteric fever 34, measles 4, scarlet fever 7, whooping cough 4, smallpox 1, and 138 from tuberculosis. Deaths reported from State institutions during the month numbered 34, including 7 from tuberculosis.

NEW JERSEY—*Perth Amboy*.—Month of October, 1907. Estimated population, 28,000. Total number of deaths, 33, including 1 from tuberculosis. Cases: Diphtheria 4, enteric fever 6, and scarlet fever 2.

NEW YORK.—Month of November, 1907. Estimated population, 8,227,000. Reports to the State department of health show as follows: Total number of deaths, 10,756, corresponding to an annual death rate of 15.6 per 1,000 of the population, including enteric fever 190, measles 47, scarlet fever 71, whooping cough 23, diphtheria 200, and 1,072 from phthisis pulmonalis. Cases: Diphtheria 1,767, enteric fever 688, measles 2,392, scarlet fever 1,646, smallpox 67, and tuberculosis 1,592.

NORTH CAROLINA.—Month of November, 1907. Estimated population, 1,893,810. Reports to State board of health from 85 counties show as follows: Measles in 16 counties, whooping cough in 24 counties, scarlet fever in 25 counties, diphtheria in 37 counties, enteric fever in 52 counties, malarial fever in 6 counties, pernicious malarial fever in 1 county, hemorrhagic malarial fever in 2 counties, and smallpox in 10 counties, viz: Ashe, 1; Davie, 2; Forsyth, 1; Guilford, 3; Johnston, 25; Orange, 6; Pitt, 11; Robeson, 2; Rockingham, 10; and Sampson, 1.

Reports for the month from 24 towns having an aggregate population of 231,600—white, 140,550; colored, 91,050—show a total of 302 deaths—white, 144; colored, 158—including diphtheria 5, enteric fever 7, malarial fever 6, scarlet fever 2, whooping cough 7, and 37 from phthisis pulmonalis.

OHIO—*Canton*.—Month of December, 1907. Estimated population, 40,000. Total number of deaths not reported. Two deaths from

scarlet fever and 1 from tuberculosis reported. Cases: Diphtheria 1, scarlet fever 18, and tuberculosis 1.

TEXAS—*Houston*.—Eleven days ended January 11, 1908. Estimated population, 75,000. Total number of deaths, 25, including 4 from tuberculosis. Cases: Diphtheria 1 and smallpox 3.

UTAH.—Month of October,^a 1907. Reports to the State board of health from 27 counties, having an estimated population of 346,873, show as follows: Total number of deaths, 304, including diphtheria 2, enteric fever 25, measles 1, scarlet fever 1, whooping cough 4, and 9 from tuberculosis. Cases: Diphtheria 69, enteric fever 235, measles 279, scarlet fever 79, smallpox 12, whooping cough 47, and tuberculosis 13 (incomplete).

Salt Lake City.—Month of December, 1907. Estimated population, 85,000. Total number of deaths from all causes, 144, including diphtheria 6, measles 2, scarlet fever 3, and 7 from tuberculosis. Cases: Diphtheria 46, enteric fever 13, measles 486, scarlet fever 89, smallpox 4, and phthisis pulmonalis 1.

WASHINGTON—*Bellingham*.—Month of December, 1907. Estimated population, 29,000. Total number of deaths, 18, including diphtheria 2, enteric fever 2, and 2 from tuberculosis. Cases: Diphtheria 6, enteric fever 4, scarlet fever 2, and tuberculosis 2.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, December 28, 1907, to January 24, 1908.

For reports received from June 28, 1907, to December 27, 1907, see PUBLIC HEALTH REPORTS for December 27, 1907.

[NOTE.—In accordance with custom, the tables of epidemic diseases are terminated semiannually and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
Alabama:				
Mobile	Jan. 5-14	10	
Total for State		10	
California:				
Berkeley	Dec. 15-21	1	
Los Angeles	Dec. 15-Jan. 4	24	
Oakland	Dec. 1-31	26	
San Francisco	Dec. 15-Jan. 4	26	
Total for State		77	
Colorado:				
Adams County	Nov. 1-30	6	
Bent County	Nov. 1-30	4	
Boulder County	Nov. 1-30	1	
Denver County (Denver)	Nov. 1-30	5	
Larimer County	Nov. 1-30	5	
Mesa County	Nov. 1-30	4	
Otero County	Nov. 1-30	10	
Prowers County	Nov. 1-30	43	
Pueblo County	Nov. 1-30	2	
Sedgwick County	Nov. 1-30	1	
Total for State		81	

^a Received out of regular order.